

INSTRUCTIONS FOR RACER VERSION 5.0.1 SERVICE PACK

RACER Version 5.0.1 Service Pack Features:

- Allows proper running of Project (Level 1) Level - Cost Over Time reports
- Updates Help Files
- Includes missing assemblies for Remedial Investigation technology*
- Includes missing assemblies for Trenching and Piping mini-model*
- Corrects the functionality of the Capping technology - Compacted Clay Layer section of the Cover tab*
- Updates RACER Version number to 5.0.1.

* note: these functions are not retroactive to previously completed estimates.

Additional Features:

- A stand-alone utility - "ACTIVATE SITE CLOSEOUT - 2003" - makes the Site Closeout Documentation technology available in Study, Interim Action, Remedial Action, and Long-Term Monitoring phases in addition to the Site Closeout phase. Instructions for use of the ACTIVATE SITE CLOSEOUT - 2003 Utility are included below.

To use the RACER Version 5.0.1 Service Pack or the Activate Site Closeout - 2003 Utility, you must have RACER Version 5.0.0 (a.k.a. RACER 2003) installed on your computer. The system requirements for the 5.0.1 Service Pack are the same for RACER Version 5.0.0. If using Windows NT v.4, you must have NT Service Pack 6A or higher.

INSTALLING RACER VERSION 5.0.1 SERVICE PACK ON YOUR COMPUTER

The procedure for installing RACER Version 5.0.1 Service Pack on your computer involves the following steps:

1. Verify that RACER 2003 (RACER v. 5.0.0) is currently installed on your computer.
2. When you click on the link, **RACER Version 5.0.1 Service Pack Program Patch**, save the file to your Windows desktop.
3. Use the Search tool (Start Menu -- Search -- For Files or Folders) to locate Racer.exe, but DO NOT RUN THE PROGRAM -- note the location for use in step 8. If you used the default location for the installation of RACER 2003, Racer.exe will be located in C:\Program Files\ETI Programs\RACER\.

4. It is strongly recommended that you exit all Windows programs before running the RACER v. 5.0.1 installation program on your computer.
5. Use Windows Explorer to navigate to the location of the downloaded Service Pack Installation file; locate the installation program file (RACER_ServicePack_501.exe); double-click on that file.
6. As the installation process begins, you will be prompted to confirm that you want to install the RACER Version 5.0.1 Service Pack on your computer. Answering "Yes" will continue the installation process. Answering "No" will abort the installation process.
7. Answering "Yes" in Step 5 will display the RACER Service Pack Installation Shield Wizard.
8. You will be prompted for the location of Racer.exe from step 3. If you used the default location for the installation of RACER 2003, Racer.exe will be located in C:\Program Files\ETI Programs\RACER\.
9. Read the instructions and warnings and press the "Next" button to complete the installation process.
10. Your copy of RACER has been successfully updated to version 5.0.1. Use the same icon previously used to open RACER v. 5.0.0 to launch the updated version of RACER.

USING THE "ACTIVATE SITE CLOSEOUT - 2003" UTILITY

The ACTIVATE SITE CLOSEOUT - 2003 utility allows the Site Closeout Documentation technology to be run in phases other than SITE CLOSEOUT -- specifically the STUDY, INTERIM ACTION, REMEDIAL ACTION, and LONG-TERM MONITORING phases (the technology is still unavailable in the REMEDIAL DESIGN and O&M phases). When run, the utility updates only the current RACER database. If you use multiple RACER databases, this utility will have to be run for each of them.

The procedure for using the ACTIVATE SITE CLOSEOUT - 2003 utility involves the following steps:

1. Be sure that RACER is closed.
2. From the Desktop, select the ACTIVATE SITE CLOSEOUT - 2003 icon. Direct it to the RACER database you wish to update. The default location for RACER databases is C:\Program Files\ETI Programs\Data\. Press the "Open" button to execute the update process.

Note: RACER databases have a ".mdb" extension and are typically between 10 MB and 25 MB in size. Smaller ".mbd" files (< 2 MB) in this directory are exported projects and should not be updated with this utility. Sizes and file extensions may be viewed by selecting the "Details" option under the View Menu (farthest icon to the right at the top of the window).

3. Upon completion, a "Update Successful" message will appear. Press "OK" to close the update utility.
4. Repeat steps 1 - 3 and direct the utility to BlankRacer.mdb, which is located in the \ETI Programs\RACER\ directory (not in the \Data\ directory).
5. To update another database, repeat steps 1 through 3 for the appropriate database.

Note: If while attempting to upgrade a RACER 2002 (or 2001) database you receive a message stating, "Cannot Upgrade -- Upgrade from 4.0.0 (or 3.0.0) to Racer 5.0.1 is not supported," follow steps 1 - 3, directing the utility to your current RACER database. Then re-open RACER and attempt your upgrade again.

For help with this service pack or utility, contact the RACER Help Line at 303.771.3103, Mon - Fri, 8am - 5pm Mountain Time.